

- 10 [5,468,825](#) [Coating composition for carriers for use in electrophotography and carriers using the same](#)
- 11 [5,468,531](#) [Elastic fixing roll](#)
- 12 [5,468,311](#) [Binder system for crosslinked double base propellant](#)
- 13 [5,464,913](#) [Cycloaliphatic epoxy and primary hydroxyl groups-containing cationic resin](#)
- 14 [5,464,901](#) [Curable resin composition comprising a silicone resin having epoxy and phenyl groups in the molecule and a vinyl polymer having a group reactive with the epoxy group](#)
- 15 [5,464,801](#) [Catalyst compositions comprising rhodium catalyst complexes](#)
- 16 [5,462,988](#) [Silicone copolymer emulsion](#)
- 17 [5,462,770](#) [Process for forming a coating on a substrate](#)
- 18 [5,461,102](#) [Aqueous dispersion composition and production thereof](#)
- 19 [5,460,863](#) [Composite structures](#)
- 20 [5,460,860](#) [Mesogen-containing biaxially oriented films](#)
- 21 [5,459,205](#) [Curable resin and process for preparing the same](#)
- 22 [5,459,194](#) [Compositions for bonding organosiloxane elastomers to organic polymers](#)
- 23 [5,459,185](#) [One-part moisture-curing urethane adhesive](#)
- 24 [5,459,178](#) [Foundry mixes and their uses](#)
- 25 [5,458,980](#) [Laminates comprising organosiloxane elastomers and organic polymers and method for preparing same](#)
- 26 [5,458,929](#) [Cure controlled catalyzed mixtures of epoxy resins and curing agents containing mesogenic moieties, B-staged and cured products therefrom](#)
- 27 [5,457,168](#) [Solid compositions of polyglycidyl compounds having a molecular weight of less than 1500](#)
- 28 [5,457,166](#) [Process for preparing a polyester-modified silicone resin and a curable composition comprising the polyester-modified silicone resin](#)
- 29 [5,457,162](#) [Use of amino or hydrazino peroxides in preparing and curing polymers](#)
- 30 [5,457,142](#) [Hot-box foundry mix](#)
- 31 [5,457,081](#) [Thermal transfer image receiving sheet](#)
- 32 [5,456,989](#) [Photosensitive body for electrophotography](#)
- 33 [5,455,287](#) [Foundry mixes containing a polyether polyol and their use](#)
- 34 [5,453,126](#) [Flexible, heat-resistant reflective coatings, coated elastomeric components and methods](#)
- 35 [5,451,440](#) [Release coating for silicone pressure sensitive adhesives](#)
- 36 [5,451,256](#) [Apparatus for preparing a smooth surfaced tough elastomeric coated fibrous batt](#)
- 37 [5,449,731](#) [Resin for plastic lens](#)


- 38 [5,449,717](#) [TI](#) [Coating composition](#)
 39 [5,449,716](#) [TI](#) [Functional polyorganosiloxane emulsions from dihydrolyzable silanes and photocurable compositions therefrom](#)
 40 [5,449,546](#) [TI](#) [Image retransfer sheet](#)
 41 [5,447,996](#) [TI](#) [Adhesive comprising cured amino resin powder for printed circuit board](#)
 42 [5,447,993](#) [TI](#) [Perfluoroelastomer curing](#)
 43 [5,447,988](#) [TI](#) [Solvent free die-attach compositions](#)
 44 [5,447,982](#) [TI](#) [Process for preparing an aqueous dispersion, aqueous dispersion and aqueous coating composition](#)
 45 [5,447,968](#) [TI](#) [Polyurethane-forming binder systems containing 2,2'-dipyridyl, 1,10-phenanthroline, and their substituted alkyl derivatives](#)
 46 [5,446,099](#) [TI](#) [Thermosetting resin composition](#)
 47 [5,445,873](#) [TI](#) [Room temperature curable solventless silicone coating compositions](#)
 48 [5,445,871](#) [TI](#) [Surface-modified plastic plate](#)
 49 [5,445,867](#) [TI](#) [Thermal transfer recording sheets and back coating compositions therefor](#)
 50 [5,444,030](#) [TI](#) [Metal complexes with a high coordination number](#)


Home	Next List	Top	View Cart
	Quick	Advanced	Pat Num
			Help


[Home](#)
[Quick](#)
[Advanced](#)
[Pat Num](#)
[Help](#)


Results of Search in 1991-1995 db for:
"curing catalyst": 807 patents.
Hits 51 through 100 out of 807


"curing catalyst"


51 5,442,037  Polyester prepolymer showing shape-memory effect


52 5,442,027  Moisture curable organosiloxane compositions exhibiting extended workability























53 5,441,994  Plastisol composition

54 5,440,002  Room temperature curable organopolysiloxane composition having excellent shelf stability

55 5,439,863  Neutral metal complex salts

56 5,439,746  Epoxy resin-basin composite material

57 5,438,113  Thermosetting resin composition

- 58 [5,438,097](#)  Polystyrene modified with silicone rubber powder
- 59 [5,436,073](#)  Multi-layer composite
- 60 [5,435,877](#)  Process for the production of copper-clad laminate
- 61 [5,432,534](#)  Reversible thermosensitive coloring composition, recording medium, recording method, and image display apparatus using the recording medium
- 62 [5,432,258](#)  Transfer paper
- 63 [5,432,233](#)  Curable resin composition, a coating composition and a process for forming a coating film
- 64 [5,432,007](#)  Solvent-free organosiloxane composition and its use
- 65 [5,431,952](#)  Method for preservation of biological tissue
- 66 [5,431,501](#)  Printing method of surface coating a substrate
- 67 [5,430,004](#)  Heat transfer sheet
- 68 [5,430,002](#)  Thermal transfer image-receiving sheet and process for producing the same
- 69 [5,428,082](#)  Non-cyclic polyanhydride and epoxy, polyol or polyamine resin
- 70 [5,428,080](#)  Heat reservoir device and method
- 71 [5,428,057](#)  New maleimide modified epoxy resin and a method for the preparation thereof
- 72 [5,427,828](#)  Cholesteric liquid crystal and polymer dispersed liquid crystal display device utilizing the same
- 73 [5,427,726](#)  Process for resin transfer molding using a partially cured tackifier
- 74 [5,426,150](#)  Preparing suspension of epoxy resin hardener and toughener
- 75 [5,426,140](#)  Time delayed thickening, slump-resistant polymer concrete compositions, methods of repairing concrete surfaces, concrete structures repaired therewith and articles of construction comprising a formed mass, etc.
- 76 [5,426,008](#)  Photocurable self-retainable gel, shaped article prepared therefrom, applications and preparations thereof
- 77 [5,424,393](#)  Rodlike mesogenic thirane resins (polythiiranes)
- 78 [5,424,384](#)  Curable organosiloxane compositions containing low temperature reactive adhesion additives
- 79 [5,424,383](#)  Room temperature curable composition containing a hydrolyzable silyl group-containing polymer and epoxy compound
- 80 [5,424,369](#)  Self-crosslinking resin
- 81 [5,424,357](#)  Compositions for bonding organosiloxane elastomers to organic polymers
- 82 [5,424,354](#)  Room temperature curable polyorganosiloxane composition
- 83 [5,424,352](#)  Heat-conductive silicone rubber composition
- 84 [5,420,208](#)  Crosslinkable polymeric composition
- 85 [5,420,173](#)  Multi-component ethylenically unsaturated peroxyesters
- 86 [5,418,309](#)  Powder coating composition

- 87 [5,418,301](#) [Dendritic macromolecule and process for preparation thereof](#)
- 88 [5,418,297](#) [Crosslinking agent and curable composition](#)
- 89 [5,418,293](#) [Dispersion-type resin composition, curable composition and coating composition](#)
- 90 [5,418,266](#) [Epoxy resin compositions and semiconductor devices encapsulated therewith](#)
- 91 [5,418,051](#) [Internally coated webs](#)
- 92 [5,416,373](#) [Electrically insulated coils and a method of manufacturing thereof](#)
- 93 [5,416,165](#) [Curable composition for paint](#)
- 94 [5,415,968](#) [Surface protective film of color filter](#)
- 95 [5,415,943](#) [Wood composite materials and methods for their manufacture](#)
- 96 [5,415,927](#) [Water-repellant glass products and process for the production thereof](#)
- 97 [5,414,055](#) [Coating resin compositions](#)
- 98 [5,414,023](#) [Thixotropic foamable organosiloxane compositions](#)
- 99 [5,413,809](#) [Method for achieving recoat adhesion over a silane topcoat](#)
- 100 [5,413,724](#) [Fiber treatment compositions and methods for the preparation thereof](#)

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

Home	Quick	Advanced	Pat Num	Help
Prev. List	Next List	Bottom	View Cart	

Searching 1991-1995...

Results of Search in 1991-1995 db for:
"curing catalyst": 807 patents.
Hits 101 through 150 out of 807































[Prev. 50 Hits](#)

[Next 50 Hits](#)














[Jump To](#)

[Refine Search](#)

PAT. NO.	Title
101 5,412,057	Mesogen-containing aromatic anhydride compounds
102 5,411,931	Thermal dye transfer receiving element with polycarbonate polyol crosslinked polymer
103 5,411,802	Colorant compositions and processes
104 5,411,776	Sealants
105 5,410,007	Particulated platinum group metal containing silicone resin catalyst, method for making, and use
106 5,409,994	Automotive top coating composition
107 5,409,963	Curable silicone composition

- 108 [5,409,773](#)  [Silicone release composition](#)
- 109 [5,409,620](#)  [Fiber treatment compositions containing organofunctional siloxanes and methods for the preparation thereof](#)
- 110 [5,408,001](#)  [Hydroxyl and hydrolyzable groups-containing silicone resin with polyepoxy compound](#)
- 111 [5,407,995](#)  [Aqueous coating composition, in particular for the coating of veneer films and continuous edges and processes for the coating of veneer films and continuous edges](#)
- 112 [5,407,977](#)  [Solvent system](#)
- 113 [5,407,748](#)  [Resin composition for aqueous paint](#)
- 114 [5,407,729](#)  [Light diffracting material having improved launderability](#)
- 115 [5,407,707](#)  [Powder coating composition based on epoxy containing polymers and polyacid curing agents](#)
- 116 [5,406,641](#)  [Flexible light pipe, cured composite and processes for preparation thereof](#)
- 117 [5,406,003](#)  [Phenolic compounds](#)
- 118 [5,405,889](#)  [Room-temperature-curable organopolysiloxane composition](#)
- 119 [5,405,888](#)  [Curable silicone composition](#)
- 120 [5,405,824](#)  [Thermal transfer image-receiving sheet](#)
- 121 [5,405,701](#)  [Resin composition for aqueous coating containing glycidyl amines](#)
- 122 [5,405,677](#)  [Fluorinated resins with low dielectric constant](#)
- 123 [5,401,781](#)  [Process for forming a cured article of consistent shape from an extruded hydrolyzable siloxane composition](#)
- 124 [5,401,579](#)  [Siloxane organic hybrid polymers](#)
- 125 [5,399,907](#)  [Low temperature flexible die attach adhesive and articles using same](#)
- 126 [5,399,651](#)  [Adhesion promoting additives and low temperature curing organosiloxane compositions containing same](#)
- 127 [5,399,630](#)  [Process for curing polymers using amino or hydrazino peroxides](#)
- 128 [5,399,607](#)  [One component composition containing a catalyst and having increased storability](#)
- 129 [5,399,601](#)  [Alkoxysilyl group-containing acrylic copolymer with alkoxysilicon compound](#)
- 130 [5,399,596](#)  [Polyfluoride sulfonium compounds and polymerization initiator thereof](#)
- 131 [5,399,402](#)  [Air bag coating composition and air bag](#)
- 132 [5,399,384](#)  [Curable resin composition, a coating composition and a process for forming a coating film](#)
- 133 [5,399,373](#)  [Processes for repairing articles having wood appearance formed from synthetic resins](#)
- 134 [5,397,813](#)  [Premium release UV curable epoxysilicone compositions](#)
- 135 [5,397,685](#)  [Light-sensitive composition and process](#)
- 136 [5,397,603](#)  [Resin composition and coating composition containing the same](#)
- 137 [5,395,433](#)  [Reversible thermosensitive coloring composition, recording medium, recording method, and image display apparatus using](#)

the recording medium

- 138 [5,394,940](#)  [Sucker rod guide](#)
- 139 [5,393,855](#)  [Thermosetting resin composition](#)
- 140 [5,393,823](#)  [Coating resin composition](#)
- 141 [5,393,805](#)  [Epoxy resin composition for insulating a coil, and a coil molded from the composition](#)
- 142 [5,393,443](#)  [Hard-coating, heat-absorbing composition and heat-shielding substance](#)
- 143 [5,391,795](#)  [Silylated agents useful for absorbing ultraviolet light](#)
- 144 [5,391,665](#)  [Process for producing polymer having hydroxyl groups at both terminals](#)
- 145 [5,391,588](#)  [Curable organopolysiloxane compositions](#)
- 146 [5,389,727](#)  [Resin compositions and a method of curing the same](#)
- 147 [5,389,170](#)  [Method for bonding substrates using molten moisture reactive organosiloxane compositions](#)
- 148 [5,389,140](#)  [Electrodeposition paint composition](#)
- 149 [5,387,657](#)  [Epoxy resins containing thiadiazole and/or oxadiazole moieties](#)
- 150 [5,387,646](#)  [Fluorine-type resin composition, curable composition and coating composition](#)

Prev. List	Next List	Top	View Cart
Home	Quick	Advanced	Pat Num
			Help








[Home](#)
[Quick](#)
[Advanced](#)
[Pat Num](#)
[Help](#)

[Prev. List](#)
[Next List](#)
[Bottom](#)
[View Cart](#)

Results of Search in 1991-1995 db for:
"curing catalyst": 807 patents.
Hits 151 through 200 out of 807

Jump To

"curing catalyst"

151 [5,386,000](#)  [Low temperature flexible die attach adhesive and articles using same](#)
152 [5,385,964](#)  [Silica-free UV-absorbing abrasion resistant coatings](#)
153 [5,385,752](#)  [Method and apparatus for coating interior surfaces](#)
154 [5,384,340](#)  [Moisture-curable and photocurable silicone composition](#)
155 [5,384,197](#)  [Superconducting magnet coil and curable resin composition used therein](#)
156 [5,382,713](#)  [Phenolic compounds](#)
157 [5,382,693](#)  [Bis\(aminophenoxy\)-alpha-substituted stilbenes](#)

<http://patft.uspto.gov/netahtml/PTO2&Sect1=PTO2&Sect2=HITOFF&u=%2Fnetahml%2Fsearch-adv.htm&r=0&f=S&l=50&c...>

- 186 [5,367,026](#) [Resin composition and coating composition containing the same](#)
187 [5,367,019](#) [Coating composition and article coated thereby](#)
188 [5,367,004](#) [Ambient curing water-borne compositions comprising half esters of anhydride polymers crosslinked by epoxies](#)
189 [5,367,002](#) [Dental composition and method](#)
190 [5,366,807](#) [Primer composition, coating method and coated silicone substrates](#)
191 [5,366,768](#) [Method of forming coating films](#)
192 [5,366,664](#) [Electromagnetic shielding materials](#)
193 [5,364,922](#) [Curable compositions containing an anaerobically inactive hydrosilation catalyst and method for preparing said compositions](#)
194 [5,364,914](#) [Moulding composition comprising a thermoset component and thermoplast component](#)
195 [5,364,910](#) [Material for forming coating film](#)
196 [5,364,676](#) [Gasket-sealed casing for fixed disc memory unit](#)
197 [5,362,800](#) [Unsaturated polyester resins](#)
198 [5,362,775](#) [Epoxy resin composition and cured product thereof](#)
199 [5,362,769](#) [Orthodontic adhesives](#)
200 [5,362,761](#) [Process for fabricating porous silicone product](#)
-

Prev. List	Next List	Top	View Cart
Home	Quick	Advanced	Pat Num
			Help